

# Checklist of the Reptiles and Frogs of South Australia



Mark Hutchinson

Version: 2021c  
<https://www.samuseum.sa.gov.au/reptile-keys>

CHECKLIST AND COMMON NAMES OF SOUTH AUSTRALIAN REPTILES AND FROGS

Conservation Status codes:

C	common in suitable habitat, Least Concern
NE	Endangered (National rating) – threatened with extinction nationally unless action taken
NV	Vulnerable (National rating) – likely to become endangered nationally if existing trends continue
SE	Endangered (in SA) – threatened with extinction in SA unless action taken
SR	Rare (in SA) – seldom seen, or very limited distribution; data deficient
SV	Vulnerable (in SA) – likely to become endangered in SA if existing trends continue
U	uncommon or localised, Least Concern
(v)	vagrant; tropical marine species occasionally recorded along SA coast

**TESTUDINES – Turtles and tortoises.**

CHELIDAE – Side-necked tortoises

<i>Chelodina expansa</i> Gray, 1857	Broadshelled Turtle	<b>SV</b>
<i>C. longicollis</i> (Shaw, 1794)	Eastern Long-Necked Turtle	C
<i>Emydura macquarii</i> (Gray, 1830)	Macquarie River Turtle	<b>SV</b>
Total = 3		

CHELONIIDAE – Typical sea turtles

<i>Caretta caretta</i> (Linnaeus, 1758)	Loggerhead Sea Turtle	<b>NE/SE(v)</b>
<i>Chelonia mydas</i> (Linnaeus, 1758)	Green Sea Turtle	<b>NV/SV(v)</b>
<i>Lepidochelys olivacea</i> (Eschscholz, 1829)	Olive Ridley Turtle	<b>NE(v)</b>
Total = 3		

DERMOCHELYIDAE – The Leatherback

<i>Dermochelys coriacea</i> (Vandelli, 1761)	Leatherback Turtle	<b>NE/SV</b>
Total = 1		

**SQUAMATA – Lizards and snakes**

GEKKONIDAE

<i>Christinus alexanderi</i> (Storr, 1987)	Nullarbor Marbled Gecko	C
<i>C. marmoratus</i> (Gray, 1845)	Marbled Gecko	C
<i>Gehyra lazelli</i> (Wells & Wellington, 1985)	Southern Rock Dtella	C
<i>G. montium</i> Storr, 1982	Central Rock Dtella	C
<i>G. pulingka</i> Hutchinson, Sistrom, Donnellan & Hutchinson, 2014	Central Ranges Rock Dtella	C
<i>G. purpurascens</i> Storr, 1982	Robust Tree Dtella	C
<i>G. variegata</i> (Duméril & Bibron, 1836)	Western Tree Dtella	C
<i>G. versicolor</i> Hutchinson, Sistrom, Donnellan & Hutchinson, 2014	Eastern Tree Dtella	C
<i>Heteronotia binoei</i> (Gray, 1845)	Bynoe's Gecko	C
Total = 9		

CARPHODACTYLIDAE

<i>Nephurus deleani</i> Harvey, 1983	Pernatty Knob-Tailed Gecko	<b>NV/SR</b>
<i>N. laevis</i> Mertens, 1958	Pale Knob-Tailed Gecko	C
<i>N. levis</i> De Vis, 1886	Common Knob-Tailed Gecko	C
<i>N. stellatus</i> Storr, 1968	Starred Knob-Tailed Gecko	C
<i>Underwoodisaurus milii</i> (Bory de Saint-Vincent, 1825)	Common Barking Gecko	C
Total = 5		

DIPLODACTYLIDAE

<i>Crenadactylus horni</i> (Lucas & Frost, 1895)	Central Clawless Gecko	U
<i>Diplodactylus calcicolus</i> Hutchinson, Doughty & Oliver, 2009	South Coast Stone Gecko	C
<i>D. conspiciellatus</i> Lucas & Frost, 1897	Variable Fat-Tailed Gecko	C
<i>D. furcosus</i> Peters, 1864	Ranges Stone Gecko	C
<i>D. galeatus</i> Kluge, 1963	Helmeted Gecko	C

<i>D. laevis</i> (Sternfeld, 1924)	Desert Fat-Tailed Gecko	C
<i>D. pulcher</i> (Steindachner, 1870)	Patchwork Gecko	<b>SR</b>
<i>D. tessellatus</i> (Günther, 1875)	Tessellated Gecko	C
<i>D. vittatus</i> Gray, 1832	Eastern Stone Gecko	C
<i>D. wiru</i> Hutchinson, Doughty & Oliver, 2009	Desert Wood Gecko	C
<i>Lucasium bungabinna</i> Doughty & Hutchinson, 2008	Southern Sandplain Gecko	C
<i>L. byrnei</i> (Lucas & Frost, 1896)	Gibber Gecko	C
<i>L. damaeum</i> (Lucas & Frost, 1896)	Beaded Gecko	C
<i>L. microplax</i> Eastwood, Doughty, Hutchinson & Pepper, 2020	Central Sandplain Gecko	C
<i>L. steindachneri</i> (Boulenger, 1885)	Map Gecko	<b>SR</b>
<i>Oedura cincta</i> De Vis, 1888	Banded Velvet Gecko	<b>SR</b>
<i>Rhynchoedura angusta</i> Pepper, Doughty, Hutchinson & Keogh, 2011	Border Beaked Gecko	C
<i>R. eyrensis</i> Pepper, Doughty, Hutchinson & Keogh, 2011	Eyrean Beaked Gecko	C
<i>R. ornata</i> Günther, 1867	Western Beaked Gecko	C
<i>Strophurus assimilis</i> Storr, 1988	Thorn-Tailed Gecko	C
<i>S. ciliaris</i> (Boulenger, 1885)	Northern Spiny-Tailed Gecko	C
<i>S. elderi</i> (Stirling & Zietz, 1893)	Jewelled Gecko	C
<i>S. intermedius</i> (Ogilby, 1892)	Southern Spiny-Tailed Gecko	C
<i>S. strophurus</i> (Duméril & Bibron, 1836)	Western Spiny-tailed gecko	C
<i>S. williamsi</i> (Kluge, 1863)	Eastern Spiny-Tailed Gecko	C
Total = 25		

#### PYGOPODIDAE

<i>Aprasia aurita</i> Kluge, 1974	Eared Worm-Lizard	<b>SE</b>
<i>A. inaurita</i> Kluge, 1974	Red-Tailed Worm-Lizard	C
<i>A. pseudopulchella</i> Kluge, 1974	Flinders Worm-Lizard	<b>NV/C*</b>
<i>A. striolata</i> Lütken, 1863	Lined Worm-Lizard	C
<i>Delma australis</i> Kluge, 1974	Barred Snake-Lizard	C
<i>D. borea</i> Kluge, 1974	Northern Snake-Lizard	<b>SR</b>
<i>D. butleri</i> Storr, 1987	Spinifex Snake-Lizard	C
<i>D. desmosa</i> Maryan, Adams & Aplin, 2007	Desert Snake-Lizard	U
<i>D. impar</i> (Fischer, 1882)	Striped Snake-Lizard	<b>NV/SE</b>
<i>D. inornata</i> Kluge, 1974	Olive Snake-Lizard	C
<i>D. molleri</i> Lütken, 1863	Adelaide Snake-Lizard	C
<i>D. nasuta</i> Kluge, 1974	Centralian Snake-Lizard	U
<i>D. petersoni</i> Shea, 1996	Painted Snake-Lizard	U
<i>D. tincta</i> De Vis, 1888	Black-Necked Snake-Lizard	U
<i>Lialis burtonis</i> Gray, 1835	Burton's Legless Lizard	C
<i>Ophidiocephalus taeniatus</i> Lucas & Frost, 1897	Bronzeback Legless Lizard	<b>NV/SR</b>
<i>Pygopus lepidopodus</i> (Lacepède, 1804)	Common Scaly-Foot	C
<i>P. nigriceps</i> (Fischer, 1882)	Black-Headed Scaly-Foot	C
<i>P. schraderi</i> Boulenger, 1913	Hooded Scaly-Foot	U
Total = 19		

#### SCINCIDAE

##### EGERNIINAE

<i>Cyclodomorphus melanops</i> (Stirling & Zietz, 1893)	Spinifex Slender Bluetongue	C
<i>C. venustus</i> Shea & Miller, 1995	Saltbush Slender Bluetongue	U
<i>Egernia cunninghami</i> (Gray, 1832)	Cunningham's Skink	<b>SE</b>
<i>E. richardi</i> (Peters, 1869)	Western Tree Skink	U
<i>E. stokesii</i> (Gray, 1845)	Gidgee Skink	C
<i>E. striolata</i> (Peters, 1870)	Eastern Tree Skink	C
<i>Liopholis inornata</i> (Rosén, 1905)	Desert Skink	C
<i>L. kintorei</i> (Stirling & Zietz, 1893)	Tjakura	<b>NV/SE</b>
<i>L. margaretae</i> (Storr, 1968)	Central Rock Skink	U
<i>L. multiscutata</i> (Mitchell & Behrndt, 1949)	Bull Skink	C
<i>L. personata</i> (Storr, 1968)	Masked Rock Skink	C

<i>L. slateri</i> (Storr, 1968)	Black-Lined Desert Skink	<b>NE#/SE</b>
<i>L. striata</i> (Sternfeld, 1919)	Night Skink	C
<i>L. whitii</i> (Lacepède, 1804)	White's Skink	C
<i>Lissolepis coventryi</i> (Storr, 1978)	Swamp Skink	<b>SE</b>
<i>Tiliqua adelaidensis</i> (Peters, 1863)	Pygmy Bluetongue	<b>NE/SE</b>
<i>T. multifasciata</i> Sternfeld, 1919	Centralian Bluetongue	U
<i>T. nigrolutea</i> (Quoy & Gaimard, 1824)	Blotched Bluetongue	C
<i>T. occipitalis</i> (Peters, 1863)	Western Bluetongue	C
<i>T. rugosa</i> (Gray, 1825)	Sleepy Lizard	C
<i>T. scincoides</i> (White ex Shaw, 1790)	Eastern Bluetongue	C
EUGONGYLINAE		
<i>Acritoscincus duperreyi</i> (Gray, 1838)	Eastern Three-Lined Skink	C
<i>A. trilineatus</i> (Gray, 1838)	Western Three-Lined Skink	<b>SR</b>
<i>Anepischetosia maccoyi</i> (Lucas & Frost, 1894)	Salamander Skink	<b>SE</b>
<i>Austroblepharus kinghorni</i> (Copland, 1947)	Blacksoil Skink	<b>SR</b>
<i>Carlia triacantha</i> (Mitchell, 1953)	Desert Rainbow Skink	U
<i>Cryptoblepharus australis</i> (Sternfeld, 1918)	Desert Wall Skink	C
<i>C. ochrus</i> Horner, 2007	Eyrean Wall Skink	C
<i>C. pannosus</i> Horner, 2007	Speckled Wall Skink	C
<i>C. pulcher</i> (Sternfeld, 1918)	Striped Wall Skink	C
<i>Lampropholis delicata</i> (De Vis, 1888)	Delicate Skink	C
<i>L. guichenoti</i> (Duméril & Bibron, 1839)	Garden Skink	C
<i>Menetia greyii</i> Gray, 1845	Dwarf Skink	C
<i>Morethia adelaidensis</i> Peters, 1874	Adelaide Snake-Eye	C
<i>M. boulengeri</i> (Ogilby, 1890)	Common Snake-Eye	C
<i>M. butleri</i> (Storr, 1963)	Butler's Snake-Eye	C
<i>M. obscura</i> Storr, 1972	Mallee Snake-Eye	C
<i>M. ruficauda</i> (Lucas & Frost, 1895)	Fire-Tailed Skink	U
<i>Proablepharus reginae</i> (Glauert, 1960)	Silvereye Skink	U
<i>Pseudemoia baudini</i> (Greer, 1982)	Bight Coast Skink	<b>SR</b>
<i>P. entrecasteauxii</i> (Duméril & Bibron, 1839)	Southern Grass Skink	C
<i>P. pagenstecheri</i> (Lindholm, 1901)	Tussock Skink	<b>SR</b>
<i>P. rawlinsoni</i> (Hutchinson & Donnellan, 1988)	Glossy Grass Skink	<b>SV</b>
SPHENOMORPHINAE		
<i>Ctenotus. ariadnae</i> Storr, 1968	Pin-Striped Ctenotus	U
<i>C. astarte</i> Czechura, 1986	Ashy Downs Ctenotus	<b>SR</b>
<i>C. atlas</i> Storr, 1968	Southern Spinifex Ctenotus	C
<i>C. brooksi</i> (Loveridge, 1933)	Sandhill Ctenotus	C
<i>C. calurus</i> Storr, 1968	Blue-Tailed Skink	C
<i>C. dux</i> Storr, 1968	Narrow-Lined Ctenotus	C
<i>C. euclae</i> Storr, 1971	Bight Coast Ctenotus	C
<i>C. grandis</i> Storr, 1968	Giant Desert Ctenotus	<b>SR</b>
<i>C. greeri</i> Storr, 1979	Greer's Ctenotus	<b>SR</b>
<i>C. inornatus</i> (Gray, 1845)	Brown Ctenotus	C
<i>C. joanae</i> Storr, 1970	Blacksoil Ctenotus	<b>SR</b>
<i>C. leae</i> (Boulenger, 1887)	Centralian Coppertail	C
<i>C. leonhardii</i> (Sternfeld, 1919)	Common Desert Ctenotus	C
<i>C. olympicus</i> Hutchinson & Donnellan, 1999	Saltbush Ctenotus	C
<i>C. orientalis</i> Storr, 1971	Spotted Ctenotus	C
<i>C. pantherinus</i> (Peters, 1866)	Leopard Skink	C
<i>C. piankai</i> Storr, 1968	Paleface Ctenotus	<b>SR</b>
<i>C. quattuordecimlineatus</i> (Sternfeld, 1919)	Many-Lined Ctenotus	C
<i>C. regius</i> Storr, 1971	Eastern Desert Ctenotus	C
<i>C. spaldingi</i> (Macleay, 1877)	Eastern Striped Skink	C
<i>C. schomburgkii</i> (Peters, 1863)	Sandplain Ctenotus	C
<i>C. septenarius</i> King & Horner, 1988	Gibber Ctenotus	C
<i>C. trauchii</i> (Boulenger, 1887)	Short-Legged Ctenotus	C

<i>C. taeniatus</i> (Mitchell, 1949)	Eyrean Ctenotus	C
<i>Eremiascincus pallidus</i> (Gunther, 1875)	Western Sandswimmer	C
<i>E. phantasmus</i> Mecke, Doughty & Donnellan, 2013	Ghost Skink	C
<i>E. richardsonii</i> (Gray, 1845)	Broad-banded Sandswimmer	C
<i>Eulamprus heatwolei</i> Wells & Wellington, 1983	Yellow-Bellied Water Skink	<b>SV</b>
<i>E. quoyii</i> (Duméril & Bibron, 1839)	Eastern Water Skink	C
<i>E. tympanum</i> (Lönnberg & Andersson, 1913)	Southern Water Skink	<b>SR</b>
<i>Hemiergis decresiensis</i> (Cuvier, 1829)	Three-Toed Earless Skink	C
<i>H. initialis</i> (Werner, 1910)	Western Earless Skink	U
<i>H. millewae</i> Coventry, 1976	Rusty Earless Skink	C
<i>H. peronii</i> (Gray, 1831)	Four-Toed Earless Skink	C
<i>Lerista aericeps</i> Storr, 1986	Yellow-Tailed Slider	U
<i>L. arenicola</i> Storr, 1971	Beach Slider	<b>SR</b>
<i>L. baynesi</i> Storr, 1972	Speckled Slider	<b>SR</b>
<i>L. bipes</i> (Fischer, 1882)	Western Two-Toed Slider	C
<i>L. bougainvillii</i> (Gray, 1839)	Bougainville's Skink	C
<i>L. desertorum</i> (Sternfeld, 1919)	Great Desert Slider	C
<i>L. distinguenda</i> (Werner, 1910)	Dwarf Four-Toed Slider	<b>SR</b>
<i>L. dorsalis</i> Storr, 1985	Southern Four-Toed Slider	C
<i>L. edwardsae</i> Storr, 1982	Myall Slider	C
<i>L. elongata</i> Storr, 1990	Woomera Slider	U
<i>L. labialis</i> Storr, 1971	Eastern Two-Toed Slider	C
<i>L. microtis</i> (Gray, 1845)	Long-Legged Slider	<b>SR</b>
<i>L. punctatovittata</i> (Günther, 1867)	Spotted Slider	C
<i>L. speciosa</i> Storr, 1990	Musgrave Slider	<b>SV</b>
<i>L. taeniata</i> Storr, 1986	Ribbon Slider	<b>SR</b>
<i>L. terdigitata</i> (Parker, 1926)	Southern Three-Toed Slider	U
<i>L. timida</i> (De Vis, 1888)	Dwarf Three-Toed Slider	C
<i>Notoscincus ornatus</i> (Broom, 1896)	Desert Glossy Skink	<b>SR</b>
Total = 95		

#### AGAMIDAE

<i>Amphibolurus burnsi</i> (Wells & Wellington, 1984)	Burns's Dragon	U
<i>A. muricatus</i> (White ex Shaw, 1790)	Jacky Lizard	<b>SR</b>
<i>A. norrisi</i> Witten & Coventry, 1984	Mallee Tree Dragon	C
<i>Ctenophorus chapmani</i> (Storr, 1977)	Eastern Heath Dragon	C
<i>C. clayi</i> (Storr, 1966)	Black-Collared Dragon	U
<i>C. cristatus</i> (Gray, 1841)	Crested Dragon	C
<i>C. decresii</i> (Duméril & Bibron, 1837)	Tawny Dragon	C
<i>C. fionni</i> (Proctor, 1923)	Eyre Peninsula Dragon	C
<i>C. fordi</i> (Storr, 1965)	Mallee Dragon	C
<i>C. gibba</i> (Houston, 1974)	Gibber Dragon	C
<i>C. isolepis</i> (Fischer, 1881)	Military Dragon	C
<i>C. maculatus</i> (Gray, 1831)	Nullarbor Spotted Sand Dragon	<b>SR</b>
<i>C. maculosus</i> (Mitchell, 1948)	Lake Eyre Dragon	C
<i>C. mckenziei</i> (Storr, 1981)	McKenzie's Dragon	<b>SR</b>
<i>C. modestus</i> (Ahl, 1926)	Swift Dragon	C
<i>C. nuchalis</i> (De Vis, 1884)	Central Netted Dragon	C
<i>C. pictus</i> (Peters, 1866)	Painted Dragon	C
<i>C. reticulatus</i> (Gray, 1845)	Western Netted Dragon	C
<i>C. rufescens</i> (Stirling & Zietz, 1893)	Rusty Dragon	C
<i>C. salinarum</i> (Storr, 1966)	Claypan Dragon	<b>SR</b>
<i>C. slateri</i> Storr, 1968	Centralian Rock Dragon	U
<i>C. spinodomus</i> Sadlier, Colgan, Beatson & Cogger, 2019	Eastern mallee dragon	C
<i>C. tjantjalka</i> Johnston, 1992	Ochre Dragon	U
<i>C. vadrappia</i> (Houston, 1974)	Red-Barred Dragon	C
<i>Diporiphora linga</i> Houston, 1977	Linga Dragon	C

<i>D. nobbi</i> (Witten, 1972)	Nobbi	C
<i>D. paraconvergens</i> Doughty, Keally & Melville, 2012	Grey-Striped Western Desert Dragon	C
<i>D. reginae</i> Glauert, 1959	Plain-backed Two-lined Dragon	<b>SR</b>
<i>D. winneckeii</i> Lucas & Frost, 1896	Canegrass Dragon	C
<i>Gowidon longirostris</i> (Boulenger, 1883)	Long-Nosed Dragon	C
<i>Intellagama lesueurii</i> (Gray, 1831)	Water Dragon	(i)
<i>Moloch horridus</i> Gray, 1841	Thorny Devil	C
<i>Pogona barbata</i> (Cuvier, 1829)	Eastern Bearded Dragon	C
<i>P. minor</i> (Sternfeld, 1919)	Western Bearded Dragon	C
<i>P. nullarbor</i> (Badham, 1976)	Nullarbor Bearded Dragon	U
<i>P. vitticeps</i> (Ahl, 1926)	Central Bearded Dragon	C
<i>Tympanocryptis argillacea</i> Melville <i>et al.</i> 2019	Claypan Earless Dragon	U
<i>T. centralis</i> Sternfeld, 1924	Centralian Earless Dragon	C
<i>T. fictilis</i> Melville <i>et al.</i> 2019	Harlequin Earless Dragon	C
<i>T. houstoni</i> Storr, 1982	Nullarbor Earless Dragon	C
<i>T. intima</i> Mitchell, 1948	Smooth-snouted Earless Dragon	C
<i>T. petersi</i> Melville <i>et al.</i> 2019	Lined Earless Dragon	C
<i>T. tetraporophora</i> Lucas & Frost, 1895	Eyrean Earless Dragon	C
<i>T. toleyi</i> Melville <i>et al.</i> 2019	Gawler Earless Dragon	C
Total = 43		

#### VARANIDAE

<i>Varanus brevicauda</i> Boulenger, 1898	Short-Tailed Pygmy Goanna	<b>SR</b>
<i>V. eremius</i> Lucas & Frost, 1895	Desert Pygmy Goanna	C
<i>V. gilleni</i> Lucas & Frost, 1895	Pygmy Mulga Goanna	C
<i>V. giganteus</i> (Gray, 1845)	Perentie	C
<i>V. gouldii</i> (Gray, 1838)	Sand Goanna	C
<i>V. rosenbergi</i> Mertens, 1957	Heath goanna	<b>SV</b>
<i>V. tristis</i> (Schlegel, 1839)	Black-Headed Goanna	C
<i>V. varius</i> (White <i>ex</i> Shaw, 1790)	Lace Monitor	<b>SR</b>
Total = 8		

#### TYPHLOPIDAE

<i>Anilius bicolor</i> (Peters, 1863)	Southern Blind Snake	C
<i>A. bituberculatus</i> (Peters, 1863)	Rough-Nosed Blind Snake	C
<i>A. centralis</i> (Storr, 1984)	Central Ranges Blind Snake	C
<i>A. endoterus</i> (Waite, 1918)	Centralian Blind Snake	C
<i>A. grypus</i> (Waite 1918)	Hook-Nosed Blind Snake	U
<i>A. margaretae</i> (Storr, 1981)	GVD Blind Snake	U
Total = 6		

#### PYTHONIDAE

<i>Antaresia children</i> (Gray, 1842)	Children's Python	C
<i>Aspidites ramsayi</i> (Macleay, 1882)	Woma	<b>SR</b>
<i>Morelia spilota</i> (Lacepède, 1804)	Carpet Python	<b>SR</b>
Total = 3		

#### ELAPIDAE

<i>Acanthophis antarcticus</i> (Shaw & Nodder, 1802)	Common Death Adder	C
<i>A. pyrrhus</i> Boulenger, 1898	Desert Death Adder	<b>SV</b>
<i>Austrelaps labialis</i> (Jan, 1859)	Pygmy Copperhead	U
<i>A. superbus</i> (Günther, 1858)	Lowland Copperhead	C
<i>Brachyuropis australis</i> (Krefft, 1864)	Australian Coral Snake	U
<i>B. fasciolatus</i> (Günther, 1872)	Narrow-Banded Snake	U
<i>B. semifasciatus</i> (Günther, 1863)	Half-Girdled Snake	U
<i>Demansia psammophis</i> (Schlegel, 1837)	Yellow-Faced Whipsnake	C
<i>D. "reticulata"</i> (Gray, 1842)	Desert Whipsnake	C

*D. rimicola* Scanlon & Shea, 2007  
*Denisonia devisi* Waite & Longman, 1920  
*Drysdalia coronoides* (Günther, 1858)  
*D. mastersii* (Krefft, 1866)  
*Echiopsis curta* (Schlegel, 1837)  
*Furina diadema* (Schlegel, 1837)  
*F. ornata* (Gray, 1842)  
*Hydrophis elegans* (Gray, 1842)  
*Neelaps bimaculatus* (Duméril, Bibron & Duméril, 1854)  
*Notechis scutatus* (Peters, 1861)  
*Oxyuranus microlepidotus* (McCoy, 1879)  
*Pseudechis australis* (Gray, 1842)  
*P. porphyriacus* (Shaw, 1794)  
*Pseudonaja affinis* Günther, 1872  
*P. aspidorhyncha* (McCoy, 1879)  
*P. guttata* (Parker, 1926)  
*P. inframacula* (Waite, 1925)  
*P. mengdeni* Wells & Wellington 1985  
*P. modesta* (Günther, 1872)  
*P. textilis* (Duméril, Bibron & Duméril, 1854)  
*Simoselaps anomalus* (Sternfeld, 1919)  
*S. bertholdi* (Jan, 1859)  
*Suta flagellum* (McCoy, 1878)  
*S. gouldii* (Gray, 1841)  
*S. monachus* (Storr, 1964)  
*S. nigriceps* (Günther, 1863)  
*S. suta* (Peters, 1863)  
*S. spectabilis* (Krefft, 1869)  
*Vermicella annulata* (Gray, 1841)  
 Total = 38

Total S.A. reptiles = 258

#### ANURA - Frogs

##### HYLIDAE

*Cyclorana cultripipes* Parker, 1940  
*C. maini* Tyler & Martin, 1977  
*C. platycephala* (Günther, 1873)  
*Litoria caerulea* (White, 1790)  
*L. ewingii* (Duméril & Bibron, 1841)  
*L. latopalmata* Günther, 1867  
*L. peronii* (Tschudi, 1838)  
*L. raniformis* (Keferstein, 1867)  
*L. rubella* (Gray, 1842)  
 Total = 9

##### MYOBATRACHIDAE

*Crinia deserticola* (Liem & Ingram, 1977)  
*Crinia flindersensis* Donnellan, Anstis, Price & Wheaton, 2012  
*Crinia parinsignifera* Main, 1957  
*Crinia riparia* Littlejohn & Martin, 1965  
*Crinia signifera* Girard, 1853  
*Geocrinia laevis* (Günther, 1864)  
*Limnodynastes dumerilii* Peters, 1863  
*Limnodynastes fletcheri* Boulenger, 1888  
*Limnodynastes peronii* (Duméril & Bibron, 1841)  
*Limnodynastes tasmaniensis* Günther, 1858

Channel Country Whipsnake **SR**  
 Mud Adder **SR**  
 White-Lipped Snake U  
 Masters' snake C  
 Bardick **NR/SR**  
 Red-Naped Snake U  
 Moon Snake U  
 Elegant Sea Snake (v)  
 Western Black-Naped Snake **SR**  
 Tiger Snake **NV<sup>S</sup>/C**  
 Inland Taipan U  
 Mulga Snake C  
 Red-Bellied Black Snake C  
 Dugite U  
 Patch-Nosed Brown Snake C  
 Speckled Brown Snake **SR**  
 Peninsula Brown Snake C  
 Gwardar C  
 Five-Ringed Snake C  
 Eastern Brown Snake C  
 Centralian Banded Snake U  
 Desert Banded Snake C  
 Little Whip Snake C  
 Greater Hooded Snake U  
 Desert Hooded Snake U  
 Mitchell's Short-Tailed Snake C  
 Curl Snake C  
 Mallee Black-Headed Snake C  
 Eastern Bandy Bandy **SR**

Knife-footed Frog SA **SR**  
 Main's Frog C  
 Water-holding Frog C  
 Green Tree Frog C  
 Brown Tree Frog C  
 Broad-palmed Frog C  
 Peron's Tree Frog C  
 Southern Bell **NV**  
 Desert Tree Frog C

Desert Froglet U  
 Northern Flinders Ranges Froglet C  
 Murray Valley Froglet C  
 Southern Flinders Ranges Froglet **SV**  
 Common Froglet C  
 Smooth Frog **SR**  
 Banjo Frog C  
 Long-thumbed Frog C  
 Striped Marsh Frog U  
 Spotted Marsh Frog C

*Neobatrachus pictus* Peters, 1863  
*Neobatrachus sudellae* (Lamb, 1911)  
*Neobatrachus sutor* Main, 1957  
*Platyplectrum spenceri* (Parker, 1940)  
*Pseudophryne bibronii* Günther, 1858  
*Pseudophryne robinsoni* Donnellan, Mahony & Bertozzi, 2012  
*Pseudophryne semimarmorata* Lucas, 1892  
*Uperoleia rugosa* (Parker, 1940)  
Total = 18

Total S.A. frogs = 37

Total SA Reptiles and Amphibians = 294

Burrowing Frog	C
Sudell's Frog	C
Shoemaker Frog	<b>SV</b>
Spencer's Burrowing Frog	C
Brown Toadlet	<b>SR</b>
Central Ranges Toadlet	<b>SV</b>
Marbled Toadlet	<b>SV</b>
Wrinkled Toadlet	U